PALM SQUIRREL



A status update of *Funambulus palmarum* in Gujarat, India



Three-striped palm squirrel near Manchi Haveli, Pavagadh Hill, Panchmahal District, Gujarat (22°28'3"N & 73°31'26"E; 436m) (Photo: Rahul D. Bhatt

IUCN Red List: Least Concern (Nameer & Molur 2016)

Mammalia

Class of Mammals

Rodentia

Order of rodents or gnawing animals

Sciuridae

Family of tree squirrels

Funambulus palmarum

[Three-striped Palm Squirrel]

Species described by Linnaeus in 1766


Three-striped Palm Squirrel *Funambulus palmarum* (Linnaeus, 1766), is endemic to South Asia (Molur et al. 2005) and listed as Least Concern in the IUCN Red List (Nameer & Molur 2016). Several niches occupied by *F. palmarum* are often shared with the Northern Palm Squirrel *Funambulus pennantii* (Wroughton, 1905). Literature, photographs as well as visual clues indicate that *F. palmarum* is larger in size (Head-Body Length (HLB): 188-189mm) with rounded ears, blunt muzzle, brownish-grey dorsum and yellowish-white colored stripes. The two additional dorsal stripes separating belly and flanks present in *F. pennantii*. Tail of both the species is bushy but *F. palmarum* has a characteristic reddish

line underside of the tail down the centre (Baqri 2000; Datta & Nandini 2013, 2014).

Presence of *F. palmarum* has been reported from many Indian states, viz., Andhra Pradesh, Chhattisgarh, Jharkhand, Karnataka, Kerala, Madhya Pradesh, Maharashtra,

Rajasthan, Orissa and Tamil Nadu (Molur et al. 2005). In Gujarat, sightings of *F. palmarum* are documented from Vansda National Park (Singh et al. 2000), Jambughoda Wildlife Sanctuary (Padate et al. 2003) and Polo Forest (Sharma 2005). On the other hand, reports from Purna Wildlife Sanctuary (Pandey et

Global Distribution: Endemic to southern India and Sri Lanka (Molur et al. 2005, Thorington & Hoffmann 2005)



Map of Gujarat (Source: Google Maps) depicting sightings of Three-striped Palm Squirrel

al. 2004a), Shoolpaneshwar Wildlife Sanctuary (Pandey & Raval 2010), Jessore Wildlife Sanctuary (Pandey et al. 2004b) and Wild Ass Sanctuary, Little Rann of Kutch (Singh et al. 1999) are tentative and need further confirmation. Online reports and pictorial evidences provide information on presence of *F. palmarum* in areas of Bharuch (Baqri 2000), Sutrapada (Anon 2006) and Vapi (Anon 2010).

Though, several biodiversity surveys, research papers and online reports have mentioned

about occurrence of *F. palmarum* in various parts of Gujarat, the same needs verification (Singh 2013). Hence, the present study was carried out to confirm and validate the occurrence of *F. palmarum* in northern, central and southern districts of Gujarat state.

Visual survey method as per Gurnell et al. (2009) with minor modifications was employed in this study to confirm presence of *F. palmarum* in known habitats. New locations comprising of scrub lands and forested patches of Gujarat were also explored for presence of *F. palmarum*. In each potential habitat, six survey lines of 500 m were walked during early morning (07.00 to 09.30 hrs) and dusk (04.30 to 07.00 hrs) in all the seasons for consecutive three years i.e., from 2014 to 2016. Such surveys were carried out 2–4 times within a 2-weeks period in each potential habitat by taking into account variations in weather conditions and squirrel activity. Occurrence of *F. palmarum* was monitored

Table: Sightings of Three-striped palm squirrel in Gujarat during 2014-2016



	Name of Locality	Lat-Long	District	Local status of animal based on present study	Reference(s)
1.	Vansda NP	20°45'49"N & 73°29'9"E; 129m	Navsari	С	Singh et al. 2000, Present study
2.	Purna WLS	20°56'36"N & 73°43'27"E; 473m	Dang	С	Pandey et al. 2004, Present study
3.	Shoolpaneshwar WLS	21º45'38"N & 73º47'41"E; 431m	Narmada	С	Panday & Raval 2010, Present study
4.	Ratanmahal WLS	22°34'35"N & 74°6'50"E; 269m	Dahod	С	Present study
5.	Kevdi EC	22º31'12"N & 73º56'7"E; 194m	Dahod	UC	Present study
6.	Jambughoda WLS	22º21'39"N & 73º39'55"E; 244m	Panchmahal	С	Padate et al. 2003, Present study
7.	Pavagadh Hill	22º27'43"N & 73º31'26"E; 390m	Panchmahal	A	Present study
8.	Areas surrounding Tadiya Lake	22º21'52"N & 73º34'32"E; 85m	Panchmahal	UC	Sharma 2005, Present study
9.	Polo Forest	23°59'56"N & 73°16'45"E; 306m	Sabarkantha	С	Present study

^{*} A-Abundant; C-Common; EC-Eco Campsite; UC-Un Common; NP-National Park; WLS-Wildlife Sanctuary


by exploring the surrounding area of survey line at each 50 m intervals and time, place, number of individuals and the micro-habitat features were noted.

F. palmarum is known to prefer forested areas with dense valleys and foothills in contrast to *F. pennantii* prefers open forests, agricultural fields and close proximity to human habitations (Sharma 2005). In spite of the differences in habitat preference of *F. palmarum* and *F. pennantii*, their distribution range overlaps suggesting that they often share a common niche (Molur et al. 2005). Reports of doubtful sightings or wrong identification may result due to overlapping ranges of *F. palmarum* and *F. pennantii*. Therefore, direct visual evidences are highly valuable to confirm their past distribution records.

In the present study, a healthy population of *F. palmarum* observed in Vansda National Park, Jambughoda Wildlife Sanctuary and Polo Forest, which provide clarity on their distribution and its documentation as a 'locally common species' (Singh et al. 2000; Padate et al. 2003; Sharma 2005) could be justified. Similarly, our study also confirmed presence of *F. palmarum* in Purna and Shoolpaneshwar Wildlife Sanctuaries that was previously reported as 'tentative' by other workers (Pandey et al. 2004a; Pandey & Raval 2010). During our study, presence of *F. palmarum* was also recorded from four new

geographical areas in Gujarat viz., Ratanmahal Wildlife Sanctuary, Kevdi eco campsite, Pavagadh hill and areas surrounding Tadiya Lake that lie within the Panchmahal district of Gujarat. Habitat in these areas comprise of undulating terrain, hills, dry deciduous forest with patches of scrub land and semi-arid landscapes and are comparable to

Jambughoda Wildlife
Sanctuary. Maximum
sightings of *F. palmarum*(28 individuals in a single
500 m survey line) was
recorded at Pavagadh hill.
A healthy population of *F. palmarum* at Pavagadh
hill (a busy tourist place) is attributable to availability
of anthropogenic food
stuff.





Three-striped palm squirrel observed at Mithibor village near Ratanmahal Wildlife Sanctuary, Dahod District, Gujarat (22°32'24"N & 74°0'2"E; 237m) (Photo: Kartik Upadhyay)

much broader range of habitats in northern, central and southern parts of Gujarat (Table). Saurashtra and Kutch regions of Gujarat were not covered in this study and the same need to be done to establish distribution limits of *F. palmarum* in Gujarat state.

References

Anonymous (2006). Report on the Executive summary of environmental impact assessment for public hearing of Lodhva Limestone Mining Project at Lodhva village, Sutrapada taluka, Gir-Somnath District, Gujarat. M/S Ambuja Cement Ltd., 11pp.

Anonymous (2010). Report of the Comprehensive Environmental Pollution Abatement Action Plan, Vapi Industrial Cluster, Gujarat. Gujarat Pollution Control Board, Gandhinagar, 92pp.

Baqri, Q.H. (2000). State Fauna Series No.8: Fauna of Gujarat, Part I. Zoological Survey of India, Calcutta, 464pp. Datta, A. & R. Nandini (2013). Squirrels of Rajasthan with special reference to Elliot's Giant Flying Squirrel Petaurista petaurista philippenis, pp. 563–573. In. B.K. Sharma, S. Kulshreshtha & A.R. Rahmani (eds.). Faunal Heritage of Rajasthan, India: General Background and Ecology of Vertebrates, Vol-1. Springer, New York & Heidelberg, Dordrecht, London. 643pp.

Datta, A. & R. Nandini (2014). Sciurids. Chapter 64, pp. 513–573. In: A.J.T. Johnsingh & N. Manjrekar (eds.). *Mammals of South Asia*, Vol. 2. University Press, Hyderabad.

Gurnell, J., P. Lurz, R. McDonald & H. Pepper (2009). Practical techniques for surveying and monitoring squirrels. Forestry Commission Practice Note (FCPN011), UK, 12pp.

Molur, S., C. Srinivasulu, B. Srinivasulu, S. Walker, P.O. Nameer& L. Ravikumar (2005). Report on Status of south Asian non-volant small mammals: conservation assessment and management plan (CAMP) workshop report. Zoo Outreach Organisation/CBSG-South Asia, Coimbatore, India, 618pp.

Nameer, P.O. & S. Molur (2016). Funambulus palmarum. (Errata version published in 2017) The IUCN Red List of Threatened Species 2016: e.T8701A115087934. http://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T8701A22259902. en. Downloaded on 19 February 2018.

Pandey, C.N. & B.R. Raval (2010). Report of the Biodiversity of Shoolpaneshwar Wildlife Sanctuary: A Comprehensive

Ecological and Socio-Economic Study. Gujarat Ecological Education and Research Foundation, Gandhinagar & Forest Department, Government of Gujarat, India, 156pp.

Pandey, C.N., S.P. Patel, S. Chavan, H. Salvi, B.H. Patel, R. Vyas, P. Trivedi, B. Jethva& A. Aiyadurai (2004a). Report of the Status of Biodiversity in Purna Wildlife Sanctuary: A Comprehensive Ecological and Socio-Economic Study. Gujarat Ecological Education Research Foundation, Gandhinagar and Forest Department, Government of Gujarat, India, 149pp.

Pandey, C.N., B.H. Patel, H. Salvi, P. Trivedi, B. Jethva, R. Vyas, M.D. Shukla & D. Bhalani (2004b). Report of the status of Biodiversity of Jessore Wildlife Sanctuary: A Comprehensive Ecological and Socio-Economic Study. Gujarat Ecological Education Research Foundation, Gandhinagar & Forest Department, Government of Gujarat, India, 167pp. Padate, G., G. Sharma, S. Surendranath, V. Zala & D. Shah (2003). Report of the project on Ecology and faunal diversity study of Jambughoda Wildlife Sanctuary. Department of Zoology, Faculty of Science, The M.S. University of Baroda, Vadodara & Gujarat Forest Department Under OECF AIDED Programme, Gujarat, India, 75pp.

Sharma, S.K. (2005). Presence of Indian Palm Squirrel *Funambulus palmarum* Linnaeus in South Aravallis. *Zoos' Print Journal* 20(6): 1908–1909.

Singh, H.S., B.H. Patel, R. Pravez, V.C. Soni, N. Shah, K. Tatu& D. Patel (1999). Report on the Ecological Study of Wild Ass Sanctuary-Little Rann of Kutch: A Comprehensive Study on Biodiversity and Management Issues. Gujarat Ecological Education Research Foundation, Gandhinagar and Forest Department, Government of Gujarat, India, 300pp.

Singh, H.S., B.R. Raval, B.H. Patel, K. Tatu, D. Patel & R. Vyas (2000). Report of the Biodiversity study on Vansda National Park: A Comprehensive Ecological and Socio-Economic Study. Gujarat Ecological Education & Research Foundation, Gandhinagar, India, 176pp.

Singh, H.S. (2013). *Mammals of Gujarat*. Gujarat Biodiversity Board, Gandhinagar & Gujarat Forest Department, Gandhinagar, 299pp.

Thorington Jr., R.W. & R.S. Hoffmann (2005). Family Sciuridae. pp. 754-818. In: D.E. Wilson & D.M. Reader (eds.). *Mammal Species of the World: a taxonomic and geographic reference*, 3rd ed. Johns Hopkins University Press, Baltimore, Maryland, USA.

Acknowledgement: Authors acknowledge Gujarat State Forest Department, Gandhinagar for granting necessary permission to study small mammals within the said study area.

Reshma Solanki¹, Kartik Upadhyay², Mittal Patel³, Rahul Bhatt⁴ & Ranjitsinh Devkar⁵

¹45-Krishna Nagar, Opp. Bhavaninagar, Near Arpan School, G.I.D.C. Manjalpur Road, Vadodara, Gujarat, India
 ²1/101 - Avni Residence, Near Bansal Super Market, GotriVasna Road, Vadodara, Gujarat, India
 ³D-199, ⁴C-123, Girdhar Park Society, B/h Makarpura Bus Depot, Makarpura, Vadodara, Gujarat, India
 ⁵Department of Zoology, Faculty of Science, The Maharaja Sayajirao University of Baroda, Vadodara, Gujarat, India Email: ⁵rvdevkar@rediffmail.com (Corresponding author)

Citation: Solanki, R., K. Upadhyay, M. Patel, R. Bhatt & R. Devkar (2018). Palm Squirrel: A status update of *Funambulus palmarum* in Gujarat, India. Small Mammal Mail#418. In: *Zoo's Print* 33(3): 07:11