supports smooth sliding of both the panels
- The cage can be handled singly.

The "Kanpur Kapi Mukti Kosth" has been found to be very successful in capturing monkeys, as till date more than hundred Rhesus macaques have been captured and rehabilitated in the forest after approval from competent authority and we hope to shift whole population of the free roaming monkeys of Kanpur zoo in near future.

Acknowledgement
The authors are thankful to Sri K. Thomas IFS, Director/Chief Conservator of Forest, Kanpur Zoological Park, Kanpur for providing necessary facilities and inspiring us to accomplish this task.

References

Coe C.L. and L.A. Rosenblum (1974). Sexual segregation and its ontogeny in Squirrel monkey Social structure. *Journal of Human evolution,* 3(6): 551-561.

Glander, K.E., L.M. Fedigan, L. Fedigan and C. Chapman (1991). Field methods for capture and measurement of three monkey species in costa Rica. *Folia Primatol* 57:70-82.

Glenn, M.E. and K.J. Benson (1998). Capture techniques and morphological measurements of mona monkey (*Ceropithecus mona*) on the island of Grenada, West Indies. *American J of physical Anthropology* 105(4): 481-491.

Jones, W.T and B.B. Bush (1988). Darting and marking techniques for an arboreal forest monkey, *Ceropithecus ascanius*. *American J of Primatology* 14(1): 83-89.

Judge, P.G. and Frans B.M De Waal (1997). Rhesus monkey behaviour under diverse population densities: coping with long-term crowding. *Animal Behavior*; 54 (3): 643-62.

Menon, V. (2003). *A Field guide to Indian Mammals*. Darling Kindersley (I) Pvt. Ltd.; Pp.43.

Mishkin, M. and J. Delacour (1975). An analysis of short –term visual memory in the monkey. *J of Experimental Psychology: Animal Behavior Processes,* Vol 1 (4): 326-334.

Zuberbuhler, K. (2002). *A syntactic rule in forest monkey communication; Animal Behavior,*Vol 63(2): 293-299.